



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

**NATIONAL
SENIOR CERTIFICATE**

GRADE 12

ENGINEERING GRAPHICS AND DESIGN P2
NOVEMBER 2014

MARKS: 100

TIME: 3 hours

This question paper consists of 6 pages.

INSTRUCTIONS AND INFORMATION


1. This question paper consists of FOUR questions.
2. Answer ALL the questions.
3. ALL drawings are in third-angle orthographic projection, unless otherwise stated.
4. ALL drawings must be completed using instruments, unless otherwise stated.
5. ALL answers must be drawn accurately and neatly.
6. ALL the questions must be answered on the QUESTION PAPER as instructed.
7. ALL the pages must be re-stapled in numerical sequence, irrespective of whether the question was attempted.
8. Time management is essential in order to complete all the questions.
9. Print your examination number in the block provided on every page.
10. Any details or dimensions not given must be assumed in good proportion.

FOR OFFICIAL USE ONLY										
QUESTION	MARKS OBTAINED			½	SIGN	MODERATED			½	SIGN
1										
2										
3										
4										
TOTAL										
	2	0	0			2	0	0		

FINAL CONVERTED MARK	CHECKED BY
100	

COMPLETE THE FOLLOWING:
CENTRE NUMBER
CENTRE NUMBER
EXAMINATION NUMBER
EXAMINATION NUMBER





QUESTION 2: LOCI

NOTE: Answer QUESTIONS 2.1 and 2.2.

2.1 COIL SPRING (HELIX)

Given:

- The right view of a coil spring with PR indicating the starting position
- The position of centre point S on the drawing sheet

Specifications:

- Pitch = 100
- Outer diameter = Ø80
- Inner diameter = Ø48
- Spring profile = Ø16
- Direction = Right-handed

Instructions:

- Draw, to scale 1 : 1, the given right view and the front view for ONE turn of the coil spring.
- Show ALL necessary construction.
- No hidden detail is required. [21]

ASSESSMENT CRITERIA			
1	GIVEN + CENTRE LINES	3	
2	CONSTRUCTION	6	
3	POINTS + CURVES	12	
PENALTIES (-)			
SUBTOTAL 2.1		21	

2.2 CAM

Motion:

- The follower rises with uniform motion for 20 mm over the first 60° of the rotation.
- There is a dwell period for 30°.
- The follower rises with simple harmonic motion for 50 mm over the next 90° of the rotation, to the maximum displacement of 70 mm.
- The follower descends with uniform acceleration and retardation to the original position over the rest of the rotation.

Instructions:

- Draw, to a horizontal scale of 130 mm = 360° and a displacement scale of 1 : 1, the complete displacement graph for the required motions.
- Label the graph and indicate the scale. [17]

ASSESSMENT CRITERIA			
1	CONSTRUCTION	6 ½	
2	POINTS + CURVES	9 ½	
3	LABELS	1	
PENALTIES (-)			
2.2 SUBTOTAL		17	
2.1 SUBTOTAL		21	
TOTAL		38	

EXAMINATION NUMBER	
EXAMINATION NUMBER	3





QUESTION 3: ISOMETRIC DRAWING

Given:


- The front view, top view and right view of a bracket
- The position of point P on the drawing sheet

Instructions:

Using scale 1 : 1, convert the orthographic views of the bracket into a sectional isometric drawing on cutting plane S-S.

- Make P the lowest point of the drawing.
- Show ALL necessary construction.
- NO hidden detail is required.

[37]

















↓
P

ASSESSMENT CRITERIA			
1	AUX. VIEW + PLACING	3	
2	ISOMETRIC + NON-ISO'	13	
3	HEXAGON + SQUARES	9 1/2	
4	CIRCLES + CONST.	4	
5	SECTION	5	
6	HATCHING	2 1/2	
PENALTIES (-)			
TOTAL		37	
EXAMINATION NUMBER			
EXAMINATION NUMBER			
			4



STAPLE



QUESTION 4: MECHANICAL ASSEMBLY

Given:

- The exploded isometric drawing of the parts of a one-way valve assembly, showing the position of each part relative to all the others
- Orthographic views of each of the parts of the one-way valve assembly

Instructions:

- Answer this question on page 6.
- Draw, to scale 1 : 1 and in third-angle orthographic projection, the following views of the assembled parts of the one-way valve assembly:
 - 4.1 A sectional front view on cutting plane A-A, as seen from the direction of the arrow shown on the exploded isometric drawing. The cutting plane, which passes vertically through the centre of the assembly, is shown on the top view of the cylinder (part 1).
 - 4.2 The top view
 - 4.3 The left view
- ALL drawings must comply with the guidelines contained in the SANS 10111.

NOTE:


- Proper planning is essential.
- Draw only ONE socket head bolt in the hole marked X.
- The outlet pipe (part 9) fits into the cylinder head (part 7) and must be welded in place. Show the given welding symbol on the left view.
- Show THREE faces and ALL the necessary construction for the M20 nut.
- Show TWO faces of the inside of the socket head bolt.
- Add cutting plane A-A to the drawing.
- NO hidden detail is required.

[95]

PARTS LIST			
	PART	QUANTITY	MATERIAL
1	CYLINDER	1	CAST IRON
2	M20 NUT	1	STAINLESS STEEL
3	WASHER	1	STAINLESS STEEL
4	VALVE PLATE	1	CAST IRON
5	DIAPHRAGM	1	RUBBER
6	FLANGE STUD	1	STAINLESS STEEL
7	CYLINDER HEAD	1	CAST IRON
8	SOCKET HEAD BOLT	3	STAINLESS STEEL
9	OUTLET PIPE	1	STAINLESS STEEL

ONE-WAY VALVE

ALL DIMENSIONS ARE IN MILLIMETRES. ALL UNSPECIFIED RADII ARE R4.



5





PENALTIES		
THIRD-ANGLE (TA)		
INCORRECT SCALE (IS)		
NUT CONSTRUCTION (NC)		
HATCHING (H)		
TOTAL		

Carry the TOTAL over to the penalties row under GENERAL.

ASSESSMENT CRITERIA					
SECTIONAL FRONT VIEW					
		POSSIBLE	OBTAINED	SIGN	MODERATED
1	CYLINDER	12			
2	M20 NUT	6			
3	WASHER	2			
4	VALVE PLATE	9 1/2			
5	DIAPHRAGM	2 1/2			
6	FLANGE STUD	6 1/2			
7	CYLINDER HEAD	9 1/2			
8	SOCKET HEAD BOLT	8			
9	OUTLET PIPE	4			
SUBTOTAL		60			
TOP VIEW					
1	CYLINDER HEAD	3 1/2			
2	SOCKET HEAD BOLT	1 1/2			
3	OUTLET PIPE	1			
SUBTOTAL		6			
LEFT VIEW					
1	CYLINDER	4			
2	CYLINDER HEAD	3			
3	SOCKET HEAD BOLT	1 1/2			
4	OUTLET PIPE	1 1/2			
5	WELDING SYMBOL	2			
6	CUTTING PLANE	3			
SUBTOTAL		15			
GENERAL					
1	CENTRE LINES	6			
2	ASSEMBLY	8			
SUBTOTAL		14			
PENALTIES (-)					
TOTAL		95			
EXAMINATION NUMBER					
EXAMINATION NUMBER					
6					

