


2230AA&AC MUSINA

1:50 000 SOUTH AFRICA
SUID-AFRIKA



Published by the Chief Directorate: Surveys and Mapping, Private Bag X10, Mowbray
Gepubliseer deur die Hoofdirektoraat: Opmetings en Kartering, Private Bag X10, Mowbray

© State Copyright 2003 Staatsouteursreg
This map may not be reproduced by any means, including digital, without prior permission.
Hierdie kaart mag nie deur enige metode herproduseer word, insluitend digitaal, sonder vooraf verkreepte goedkeuring nie.

Printed by the Chief Directorate: Surveys and Mapping.
Gedruk deur die Hoofdirektoraat: Opmetings en Kartering.


REFERENCE	VERKLARING
National Freeway; National Route.....	Nasionale Deurspad; Nasionale Roete
Arterial Route.....	Hoofverkeersroete
Main Road.....	Hooftpad
Secondary Road; Bench Mark.....	Sekondêre Pad; Hoogtemerk
Other Road; Bridge.....	Andere Pad; Brug
Track and Hiking Trail.....	Dowwe Pad en Voetslaanpad
Railway; Station or Siding.....	Spoorweg; Stasie of Sylyn
Other Railway; Tunnel.....	Andere Spoorweg; Tunnel
Embankment; Cutting.....	Opvulling; Deurgrawing
Power Line.....	Kraglyn
Built-up Area (High, Low Density).....	Beboude Gebied (Hoë, Laë Digtheid)
Buildings; Ruin.....	Geboue; Murasie
Post Office; Police Station; Stone.....	Poskantoor; Polisie-stasie; Wink
Place of Worship; School; Hotel.....	Plek van Aanbidding; Skool; Hotel
Fence; Wall.....	Dradeheining; Muur
Windpump; Monument.....	Windpomp; Monument
Communication Tower.....	Kommunikasietoring
Mine Dump; Excavation.....	Mynhoop; Uitgraving
Trigonometrical Station; Marine Beacon.....	Peilbaken; Seevaartbaken
Lighthouse and Marine Light.....	Vuurtoring en Seevaartlig
Cemetery; Grave.....	Begraafplaas; Graf

Cadastral information supplied by the Surveyor-General
Originele Farms.....

CONTOUR INTERVAL 20 METRES KONTOUTUSSENRIJNOMTE 20 METER
Heights are in metres above mean sea level
Hoogtes is in meter bo gemiddelde seepeest
Gauss Conform Projection. Central Meridian 29° East.
Hartebeesthoek 94 Datum (WGS84 Ellipsoid).

Mean magnetic declination 12°57' West of True North (July 2002).
Mean annual change 7' Westwards (2000-2005).
Supplied by Hermanus Magnetic Observatory.
Gemiddelde magnetiese deklinasie 12°57' Wes van Ware Noord (Julie 2002).
Gemiddelde jaarlikse verandering 7' Weswaarts (2000-2005).
Voorsien deur die Hermanus Magnetiese Observatorium.

INDEX TO SHEETS INDEX VAN VELLE



REFERENCE	VERKLARING
International Boundary and Beacon.....	Internasionale Grens en Baken
Provincial Boundary.....	Provinsiale Grens
Protected Area.....	Bewarings Gebied
Perennial River.....	Standhoudende Rivier
Perennial Water.....	Nie-standhoudende Rivier
Non-perennial River.....	Nie-standhoudende Water
Non-perennial Water.....	Droë Loop
Dry Water Course.....	Droë Pan
Marsh and Vlei.....	Moeras en Vlei
Pipeline (above ground).....	Pyplyn (bo die grond)
Water Tower; Reservoir; Water Point.....	Wateroring; Reservoir; Waterpunt
Coastal Rocks.....	Kuslynroete
Prominent Rock Outcrop.....	Prominente Klipbank
Erosion; Sand.....	Eroële Sand
Woodland.....	Beboste Gebied
Cultivated Land.....	Bewerkte Land
Orchard or Vineyard.....	Bord of Wingerd
Recreation Ground.....	Ontspanningsresein
Row of Trees.....	Rye Bome

Kadastrale inligting verskaf deur die Landmeter-generaal
Oorspronklike Plase.....

2230AA MUSINA THIRD EDITION
DERDE UITGAWE 1999



2230 AC 11 MUSINA (SOUTH)

ORTHOPHOTO MAP SERIES
ORTOFOTO KAARTREEKS

1 : 10 000

SOUTH AFRICA
SUID-AFRIKA



Gauss Conform Projection. Central Meridian 31° East

Contour Interval 5 Metres

Grid Interval 1 000 Metres

Hartebeesthoek 94 Datum

WGS84 Ellipsoid

1 : 10 000

Gauss Konforme Projeksie. Middelmeridiaan 31° Oos

Kontourtussenruimte 5 Meter

Ruittussenruimte 1 000 Meter

Hartebeesthoek 94 Datum

WGS84 Ellipsoid

2230 AC 11

SECOND EDITION
TWEDE UITGAWE
2004


INDEX TO SHEETS INDEX VAN VELLE

2229BD10	2230AC6	2230AC7
2229BD15	2230AC11	2230AC12
2229BD20	2230AC16	2230AC17

30° 00'

3318DB PAARL

1:50 000 SOUTH AFRICA
SUID-AFRIKA



Published by the Chief Directorate: Surveys and Mapping, Private Bag X10, Mowbray
Gepubliseer deur die Hoofdirektorat: Opmetings en Kartering, Private Bag X10, Mowbray
© State Copyright 2003 Staatsoutersreus
This map may not be reproduced by any means, including digital, without prior permission.
Hierdie kaart mag nie deur enige metode herproduseer word, insluitend digitaal, sonder vooraf verkreepte goedkeuring nie.



Printed by the Government Printer, Private Bag X85, Pretoria
Gedruk deur die Staatsdrukker, Private Bag X85, Pretoria

REFERENCE	VERKLARING
National Freeway; National Route	Nasionale Deurpad; Nasionale Route
Arterial Road	Hoofverkeersroete
Main Road	Hoopd
Secondary Road; Bench Mark	Sekondêre Pad; Hoogtemerk
Other Road; Bridge	Andere Pad; Brug
Track and Hiking Trail	Dowwe Pad en Voetslaanpad
Railway; Station or Siding	Spoorweg; Stasie of Sylyn
Other Railway; Tunnel	Andere Spoorweg; Tunnel
Embankment; Cutting	Opvulling; Deurgrawing
Power Line	Kraglyn
Built-up Area (High, Low Density)	Beboude Gebied (Hoë, Laë Digtheid)
Buildings; Ruin	Geboue; Mursie
Post Office; Police Station; Store	Poskantoor; Polisistasië; Winkel
Place of Worship; School; Hotel	Plek van Aandbidding; Skool; Hotel
Fence; Wall	Drachtelning; Muur
Windmill; Monument	Windpomp; Monument
Communication Tower	Kommunikasietoring
Mine Dump; Excavation	Myndoop; Uitgraving
Trigonometrical Station; Marine Beacon	Peilbaken; Seevaarbak
Lighthouse and Marine Light	Vuurtooring en Seevaartlig
Cemetery; Grave	Begraafplaas; Graf

Cadastral information supplied by the Surveyor-General
Originaal Farms

Mean magnetic declination 23°33' West of True North (July 2002).
Mean annual change 6' Westwards (2000-2005).
Supplied by Hermanus Magnetic Observatory.
Gemiddelde magnetiese deklinasie 23°33' Wes van Ware Noord (Julie 2002).
Gemiddelde jaarlikse verandering 6' Weswaarts (2000-2005).
Voorsien deur die Hermanus Magnetiese Observatorium.


Whilst every effort is made to ensure the accuracy of this map, users noting errors and omissions are requested to notify the Chief Directorate: Surveys and Mapping.

Heights are in metres above mean sea level
Hoogtes is in meter bo gemiddelde seespieël

CONTOUR INTERVAL 20 METRES KONTOUTUSSENRIJTE 20 METER

Gauss Conform Projection, Central Meridian 19° East.
Hartbeesthoek 94 Datum (WGS84 Ellipsoid).

INDEX TO SHEETS INDEXES VAN VELLE



The grid lines of the South African Co-ordinate System are indicated in the margin by short black ticks at 10 000 metre intervals, with co-ordinate values in units of 10 000 metres in blue.

Die ruitlyn van die Suid-Afrikaanse Koordinatstelsel word in die kaartrande aangetoon deur kort swart strepies 10 000 meter van mekaar, met koördinaatwaardes in eenhede van 10 000 meter in blou.

Alle pogings moontlik word aangewend om die akkuraatheid van hierdie kaart te verseker. Gebruikers word versoek om die Hoofdirektorat: Opmetings en Kartering, te verwittig van enige foute of weglatings.

REFERENCE	VERKLARING
International Boundary and Beacon	Internasionale Grens en Baken
Provincial Boundary	Provinsiale Grens
Protected Area	Bewingsgebied
Perennial River	Standhoudende Rivier
Perennial Water	Nie-standhoudende Water
Non-perennial River	Nie-standhoudende Rivier
Non-Perennial Water	Nie-standhoudende Water
Dry Water Course	Droë Loop
Dry Pan	Droë Pan
Marsh and Vlei	Moeras en Vlei
Pipeline (above ground)	Pyplyn (bo die grond)
Water Tower; Reservoir; Water Point	Watertoring; Reservoir; Waterpunt
Coastal Rocks	Kuslymrotte
Prominent Rock Outcrop	Prominente Klipbank
Erosion; Sand	Erosie; Sand
Woodland	Beboste Gebied
Outvated Land	Bewerkte Land
Orchard or Vineyard	Boerd of Wingerd
Recreation Ground	Ontspanningsgebied
Row of Trees	Rye Bome

Kadastrale inligting verskaf deur die Landmeter-generaal
Oorspronklike Plaas

Geographical names, shown in this type face, have not been officially approved.
Geografiese name, in hierdie letterbeeld, is nie officieel goedgekeur nie.



3318DB PAARL SIXTH EDITION
SESDE UITGAWE 2000

1:10 000

SUID-AFRIKA
SOUTH AFRICA

3318 DB 25 PAARL

ORTOFOTO KAARTREEKS
ORTHOPHOTO MAP SERIES



Ge publiseer deur die Hoofdirektoraat: Opmettings en Grondinligting, Private Bag X10, Mowbray.
Published by the Chief Directorate: Surveys and Land Information, Private Bag X10, Mowbray.
Fotografie 498/304
Photography 498/304
© Staatsouteursreg 1993 State Copyright

Gauss Konforme Projeksie, Middellmeridiaan 19° Oos
Kontoertussenruimte 5 Meter
Ruittussenruimte 1 000 Meter

1:10 000





Gauss Conform Projection, Central Meridian 19° East
Contour Interval 5 Metres
Grid Interval 1 000 Metres

3318 DB 25 DERDE UITGAWE
THIRD EDITION
1992

INDEKS VAN VELLE			INDEX TO SHEETS		
DB19	DB20	CA16			
DB24	DB25	CA21			
DD4	DD5	CC1			

3424BB HUMANSDORP

1:50 000 SOUTH AFRICA
SUID-AFRIKA



Whilst every effort is made to ensure the accuracy of this map, users noting errors and omissions are requested to notify the Chief Directorate: Surveys and Mapping.



Alle pogings moontlik word aangewend om die akkuraatheid van hierdie kaart te verseker. Gebruikers word versoek om die Hoofdirektorat: Opmettings en Kartering, te verwittig van enige foute of weglatings.


3424BB HUMANSDORP THIRD EDITION
DERDE UITGAWE 1999

3424 BB 1 HUMANSDORP

ORTHOPHOTO MAP SERIES
ORTOFOTO KAARTREEKS

1 : 10 000

SOUTH AFRICA
SUID-AFRIKA



Published by the Chief Directorate: Surveys and Mapping, Private Bag X10, Mowbray.
Gepubliseer deur die Hoof Direkoraat: Opmetings en Kartering, Private Bag X10, Mowbray.
Photography 499/357
Fotografie 499/357
© State Copyright 2001 Staatskuteursreg

Whilst every effort is made to ensure the accuracy of this map, users noting errors and omissions are requested to notify the Chief Directorate: Surveys and Mapping.
Alles pogings moontlik word aangewend om die akkuraasheid van hierdie kaart te verseker. Gebruikers word versoek om die Hoofdirekoraat: Opmetings en Kartering, te verwittig van enige foute of weglatings.

Gauss Conform Projection. Central Meridian 25° East
Contour Interval 5 Meters
Grid Interval 1 000 Meters
Hartebeesthoek 94 Datum
WGS84 Ellipsoid

1:10 000



Gauss Konforme Projeksie. Middelmeridiaan 25° Oos
Kontourtussenruimte 5 Meter
Ruittussenruimte 1 000 Meter
Hartebeesthoek 94 Datum
WGS84 Ellipsoid

3424 BB 1

SECOND EDITION
TWEDE UITGAWE
1999

INDEX TO SHEETS		INDEXES VAN VELLE	
3324D025	3324D021	3324D022	
3424BA5	3424BB1	3424BB2	
3424BA10	3424BB6	3424BB7	